



Bibliography

- Zannoni, C., Cappello, A., Viceconti, M., 1998. Optimal CT scanning plan for long-bone 3-D reconstruction. *IEEE Trans Med Imaging* 17(4), 663-6.
- Zannoni, C., Mantovani, R., Viceconti, M., 1998. Material properties assignment to finite element models of bone structures: a new method. *Med Eng Phys* 20(10), 735-40.
- Viceconti, M., Bellingeri, L., Cristofolini, L., Toni, A., 1998. A comparative study on different methods of automatic mesh generation of human femurs. *Med Eng Phys* 20(1), 1-10.
- Viceconti, M., Zannoni, C., Pierotti, L., 1998. TRI2SOLID: an application of reverse engineering methods to the creation of CAD models of bone segments. *Comput Methods Programs Biomed* 56(3), 211-20.
- Testi, D., Viceconti, M., Baruffaldi, F., Cappello, A., 1999. Risk of fracture in elderly patients: a new predictive index based on bone mineral density and finite element analysis. *Comput Methods Programs Biomed* 60(1), 23-33.
- Testi, D., Viceconti, M., Cappello, A., Gnudi, S., Toni, A., 2001. Fracture prediction for the femoral neck using finite element models. *Chir Organi Mov* 86(1), 59-64.
- Testi, D., Cappello, A., Chiari, L., Viceconti, M., Gnudi, S., 2001. Comparison of logistic and Bayesian classifiers for evaluating the risk of femoral neck fracture in osteoporotic patients. *Med Biol Eng Comput* 39(6), 633-7.
- Testi, D., Viceconti, M., Cappello, A., Gnudi, S., 2002. Prediction of hip fracture can be significantly improved by a single biomedical indicator. *Ann Biomed Eng* 30(6), 801-7.
- Testi, D., Cappello, A., Sgallari, F., Rumpf, M., Viceconti, M., 2004. A new software for prediction of femoral neck fractures. *Comput Methods Programs Biomed* 75(2), 141-5.
- Taddei, F., Cristofolini, L., Martelli, S., Gill, H. S., Viceconti, M., 2006. Subject-specific finite element models of long bones: An in vitro evaluation of the overall accuracy. *J Biomech* 39(13), 2457-67.
- Cristofolini, L., Juszczak, M., Martelli, S., Taddei, F., Viceconti, M., 2007. In vitro replication of spontaneous fractures of the proximal human femur. *J Biomech* 40(13), 2837-45.
- Schileo, E., Taddei, F., Malandrino, A., Cristofolini, L., Viceconti, M., 2007. Subject-specific finite element models can accurately predict strain levels in long bones. *J Biomech* 40(13), 2982-9.
- Schileo, E., Dall'ara, E., Taddei, F., Malandrino, A., Schotkamp, T., Baleani, M., Viceconti, M., 2008. An accurate estimation of bone density improves the accuracy of subject-specific finite element models. *J Biomech* 41(11), 2483-91.
- Schileo, E., Taddei, F., Cristofolini, L., Viceconti, M., 2008. Subject-specific finite element models implementing a maximum principal strain criterion are able to estimate failure risk and fracture location on human femurs tested in vitro. *J Biomech* 41(2), 356-67.
- Juszczak, M. M., Cristofolini, L., Viceconti, M., 2011. The human proximal femur behaves linearly elastic up to failure under physiological loading conditions. *J Biomech* 44(12), 2259-66.
- Viceconti, M., Davinelli, M., Taddei, F., Cappello, A., 2004. Automatic generation of accurate subject-specific bone finite element models to be used in clinical studies. *J Biomech* 37(10), 1597-605.



Grassi, L., Schileo, E., Taddei, F., Zani, L., Juszczak, M., Cristofolini, L., Viceconti, M., 2012. Accuracy of finite element predictions in sideways load configurations for the proximal human femur. *J Biomech* 45(2), 394-9.

Viceconti, M., Taddei, F., Cristofolini, L., Martelli, S., Falcinelli, C., Schileo, E., 2012. Are spontaneous fractures possible? An example of clinical application for personalised, multiscale neuro-musculo-skeletal modelling. *J Biomech* 45(3), 421-426.

Schileo, E., Balistreri, L., Grassi, L., Cristofolini, L., Taddei, F., 2014. To what extent can linear finite element models of human femora predict failure under stance and fall loading configurations? *J Biomech* 47(14), 3531-8.

Falcinelli, C., Schileo, E., Balistreri, L., Baruffaldi, F., Bordini, B., Viceconti, M., Albinini, U., Ceccarelli, F., Milandri, L., Toni, A., Taddei, F., 2014. Multiple loading conditions analysis can improve the association between finite element bone strength estimates and proximal femur fractures: A preliminary study in elderly women. *Bone* Oct(67), 71-80.

Taddei, F., Palmadori, I., Taylor, W. R., Heller, M. O., Bordini, B., Toni, A., Schileo, E., 2014. European Society of Biomechanics S.M. Perren Award 2014: Safety factor of the proximal femur during gait: a population-based finite element study. *J Biomech* 47(14), 3433-40.

Zani, L., Erani, P., Grassi, L., Taddei, F., Cristofolini, L., 2015. Strain distribution in the proximal Human femur during in vitro simulated sideways fall. *J Biomech* 48(10), 2130-43.

Li, X., Viceconti, M., Cohen, M. C., Reilly, G. C., Carre, M. J., Offiah, A. C., 2015. Developing CT based computational models of pediatric femurs. *J Biomech* 48(10), 2034-40.

Qasim, M., Farinella, G., Zhang, J., Li, X., Yang, L., Eastell, R., Viceconti, M., 2016. Patient-specific finite element estimated femur strength as a predictor of the risk of hip fracture: the effect of methodological determinants. *Osteoporos Int* 27(9), 2815-22.

Dall'Ara, E., Eastell, R., Viceconti, M., Pahr, D., Yang, L., 2016. Experimental validation of DXA-based finite element models for prediction of femoral strength. *J Mech Behav Biomed Mater* 63, 17-25.

Taddei, F., Falcinelli, C., Balistreri, L., Henys, P., Baruffaldi, F., Sigurdsson, S., Gudnason, V., Harris, T. B., Dietzel, R., Armbrecht, G., Boutroy, S., Schileo, E., 2016. Left-right differences in the proximal femur's strength of post-menopausal women: a multicentric finite element study. *Osteoporos Int* 27(4), 1519-28.

Altai, Z., Viceconti, M., Offiah, C.A., Li, X., 2018. Investigating the mechanical response of paediatric bone under bending and torsion using finite element analysis. *Biomechanics and Modeling in Mechanobiology*, 17(4), 1001-1009.

Altai, Z., Qasim, M., Li, X., Viceconti, M., 2019. The effect of boundary and loading conditions on patient classification using finite element predicted risk of fracture. *Clinical Biomechanics*, 68, 137-143.

Bhattacharya, P., Altai, Z., Qasim, M., Viceconti, M., 2019. A multiscale model to predict current absolute risk of femoral fracture in a postmenopausal population. *Biomechanics and Modeling in Mechanobiology*, 18(2), 301-318.

Winsor, C., Li, X., Qasim, M., Henak, C. R., Pickhardt, P. J., Ploeg, H., Viceconti, M., 2021. Evaluation of patient tissue selection methods for deriving equivalent density calibration for femoral bone quantitative CT analyses. *Bone*, 143, 115759.



Aldieri, A., Terzini, M., Audenino, A. L., Bignardi, C., Paggiosi, M., Eastell, R., Viceconti, M., Bhattacharya, P., 2022. Personalised 3D assessment of trochanteric soft tissues improves hip fracture classification accuracy. *Annals of Biomedical Engineering*, 50(3), 303-313.

Li, J., Viceconti, M., Li, X., Bhattacharya, P., Naimark, M. J. D., Osseyran, A., 2023. Cost-effectiveness analysis of CT-based finite element modeling for osteoporosis screening in secondary fracture prevention: An early health technology assessment in the Netherlands. *MDM Policy & Practice* 8(2), 1-20.

Allison, G., Almutairi, S., Offiah, C. A., Li, X., 2026. PyPeCT2S: Pythonic paediatric computed tomography to strength with automatic landmarking for the automation of bone strength analysis in children. *PLoS One*, <https://doi.org/10.1371/journal.pone.0352689>